

Fig. 1




Fig. 2




Fig. 3




Fig. 4




Fig. 5

AccSysONE Navigator

112 2006

Badgo

ACTIVE

Personnel Information xxx-xx-xxxx

Title First (Common) Last MI

Mr. John Doe

Company

Synergis Systems

Clearance Level

IT-CL

Card Information

Card Number

2006

PIN Number

4235

Expires

5/20/2004

Activated

5/20/2003

Embossed Number

18

Status Detail

ACTIVE

Information

Endorsements

SynergisSystems

2 3 4

John Doe

5/20/2004

Badge Layout

Synergis

Endorsements

Special1
Special2
Special3
Special4

Issued Information

Issued on May 20 2003 3:02PM

EMPLOYEE

Synergis Layout

Save

Cancel

Delete

Online

Fig. 6




Fig. 7




Fig. 8




Fig. 9

ACCSYSLINE Navigator

Clearance Levels for Synergis Systems

ENG-C:
ENG
VAN
Access Prints
Timesets
BusinessHours
Holidays
IT-CL
IT
Access Points
Timesets
24/7
QA-CL
QA
Access Points
Timesets
BusinessHours
WeekDay
Holidays
Christmas
NewYears

Timeset Details

Clearance Levels

Subsidiary Clearance Levels

Timesets

Name

Timeset Item

Type

One Time

Start Time

12:00 AM

Duration

0:00

End Time

12:00 AM

Start Date

5/20/2003

May, 2003

Sun	Mon	Tue	Wed	Thu	Fri	Sat
27	28	29	30	1	2	3
4	5	6	7	8	9	10
11	12	13	14	15	16	17
18	19	20	21	22	23	24
25	26	27	28	29	30	31
1	2	3	4	5	6	7

Create

Clone

Save

Online

Fig. 10




Fig. 11




Fig. 12

AccSysONE Navigator

GLOBAL ALARM FUNCTIONS

Alarm Conditions

Fault/Alarm

Restore/Normal

Invalid Facility Code

Inactive Card

Card Held

Invalid Clearance Level (Loc)

Invalid Clearance Level (Time)

Portal OPEN

Portal OPEN TOO LONG (Card)

Portal OPEN TOO LONG (EXR)

Emergency Active

AC Fail

Power System Fault

Battery Critical

Critical Shutdown

Power System Overheat

Power System Fan Fail

Route all to Alarm Group:

All Clients

Restore Defaults for All...

Alarm Properties

ALARM Statement

INVALID FACILITY CODE - Access DENIED

Instructions

Send a Team on Location

Alarm Type

Alarm

Alarm Style

Default Alarm

Update

Restore Defaults

Edit

New

Delete

Edit

New

Delete

Online

Fig. 13

AccessONE Navigator

Alarm Attributes - Invalid Facility Code CONDITION

Style: **Default Alarm**

Appearance and Behavior

☐ Use Automatic Acknowledge

Incoming: **Red** **Bold** ☒ Blink

Acknowledged: **Blue** **Normal**

Cleared: **Gray** **Normal** Hold for: **01:00**

Sound:

☐ No Sound

☐ Alarm Sound: **18HTLV.WAV**

☐ Play Once

☐ Repeat

☒ Escalate

Escalation Sound: **18HTFV.WAV**

Escalation after: **00:15**

Save **Cancel**

Alarm Conditions

Fault/Alarm **Restore/Normal**

Invalid Facility Code

Inactive Card

Card Held

Invalid Clearance Level (Loc)

Invalid Clearance Level (Time)

Portal OPEN

Portal OPEN TOO LONG (Card)

Portal OPEN TOO LONG (EXR)

Emergency Active

AC Fail

Power System Fault

Battery Critical

Critical Shutdown

Power System Overheat

Power System Fan Fail

Route all to Alarm Group:

All Clients

Restore Defaults for All...

Online

Fig. 14




Fig. 15




Fig. 16




Fig. 17




Fig. 18